

# HOELSCHER

WEATHERSTRIP MANUFACTURING

2023




## FIBERGLASS ENTRY DOOR COLLECTION

Revised March 2023


# Fiberglass Entry Door Collection

## Mahogany & Oak Grain Collection

The Mahogany & Oak Grain Collection provides a valuable balance between the exceptional durability of fiberglass doors and the visually appealing qualities of true wood doors. The doors are protected with a textured fiberglass skin and feature an interior wood construction which strengthens the structure of your door. The stainable exterior fiberglass skin grain mirrors the appearance of a mahogany or oak wood door. Additionally, a True Divided Lite glass design allows for Beveled glass, a highlight in a fiberglass door! The Mahogany & Oak Grain Collection is available in 6'8" and 8'0" heights with a variety of glass options.




Insulated leaded Glass Cross Section



## Smooth Collection

The Smooth Collection features a practical solution to your exterior back door needs. This collection consists of a Flush Glazed Full Lite, with a smooth white paintable fiberglass skin. The Smooth Collection is available in 2'8" & 3'0" widths, and 6'8" & 8'0" heights.

## Available Finishes



Fox



Slate




Midnight

# MAHOGANY GRAIN


*3-0 x 6-8 Contemporary*

## 3 Lite



Shown in Midnight with Satin Glass  
FG3GPWSN3068

## Glass Selections



FG3GPWR3068  
Reeded FIglz



FG3GPWRN3068  
Rain FIglz


# MAHOGANY GRAIN

*3-0 x 8-0 Contemporary*

## 3 Lite



## Glass Selections



FG3GPWR3080  
Reeded FIGlz



FG3GPWRN3080  
Rain FIGlz



FG3GPWF3080  
Flemish FIGlz

Shown in Slate with Satin Glass  
FG3GPWSN3080

# MAHOGANY GRAIN


*3-0 x 6-8 Contemporary*

## 4 Lite



Shown in Fox with Satin Glass  
FG4GPWSN3068


## Glass Selections



FG4GPWR3068  
Reeded FIGlz



FG4GPWSB3068  
Sandblast w/ 1" Clear Bdr FIGlz



FG4GPWSN3068  
Satin FIGlz



FG4GPWRN3068  
Rain FIGlz

\*TDI - Windstorm Tested  
(Non-Impact Resistant) - #DR1154

# MAHOGANY GRAIN


*3-0 x 8-0 Contemporary*

## 5 Lite



Shown in Midnight with Low E Glass  
FG5GPWCLE3080


## Glass Selections



FG5GPWR3080  
Reeded FIGlz



FG5GPWSB3080  
Sandblast w/ 1" Clear Bdr FIGlz



FG5GPWSN3080  
Satin FIGlz



FG5GPWRN3080  
Rain FIGlz




FG5GPWF3080  
Flemish FIGlz

5 Lite




Shown in Midnight with Low E Glass  
FG5GPWCLE3680


Glass Selections



FG5GPWR3680  
Reeded FlGlz




FG5GPWSB3680  
Sandblast w/ 1" Clear Bdr FlGlz



FG5GPWSN3680  
Satin FlGlz



FG5GPWRN3680  
Rain FlGlz



FG5GPWF3680  
Flemish FlGlz

# MAHOGANY GRAIN


*3-0 x 6-8 Contemporary*

## 5 Lite Horizontal



Shown in Fox with Low E Glass  
FG5HGCLE3068

## Glass Selections



FG5HG SB3068  
Sandblast w/ 1" Clear Bdr FlGlz



FG5HG SN3068  
Satin FlGlz



FG5HG RN3068  
Rain FlGlz


# MAHOGANY GRAIN

*3-0 x 8-0 Contemporary*


## 6 Lite Horizontal



## Glass Selections



FG6HG SB3080  
Sandblast w/ 1" Clear Bdr FlGlz



FG6HG SN3080  
Satin FlGlz



FG6HG RN3080  
Rain FlGlz

Shown in Fox with Low E Glass  
FG6HG CLE3080

# MAHOGANY GRAIN


*3-0 x 8-0 Contemporary*

## 1 Lite Vertical




Shown in Midnight  
with Sandblast w/ Clear Border Glass


## Glass Selections



FG1LVR3080  
Reeded FGlz



FG1LVS3080  
Sandblast w/ 1" Clear Bdr FGlz



FG1LVSN3080  
Satin FGlz

2 Panel Arch V-grooved



Shown in Slate  
FG2PAVG3068

2 Panel Square Smooth



Shown in Midnight  
FG2PSQS3068

MAHOGANY GRAIN  
*3-0x8-02 Panel*

2 Panel Arch V-grooved



Shown in Midnight  
FG2PAVG3080

2 Panel Square Smooth



Shown in Midnight  
FG2PSQS3080

OAK GRAIN  
*3-0x6-8 & 3-0x8-06 Panel*

6 Panel



Shown in Slate  
FGKTX6P3068

6 Panel



Shown in Midnight  
FGKTX6P3080


# MAHOGANY GRAIN

*3-0 x 6-8 2 Panel V-grooved*


## 2 Panel Arch V-grooved w/ Speakeasy



### Glass Selections




Reeded



Satin



Rain



Flemish



Standard Mask



Balfour Mask



Windsor Mask


Shown in Midnight with Clear Glass  
FG2PAVG3068SE

\*TDI - Windstorm Tested (Non-Impact Resistant) - #DR1153


2 Panel Arch V-grooved  
w/ Speakeasy



Glass Selections




Reeded



Satin



Rain



Flemish



Standard Mask



Balfour Mask



Windsor Mask

Shown in Midnight with Clear Glass  
FG2PAVG3080SE

\*TDI - Windstorm Tested (Non-Impact Resistant) - #DR1153

# MAHOGANY GRAIN


*3-0x6-8 4 Lite TDL w/ 1 Panel Btm*

## 4 Lite 1 Panel




Shown in Midnight with Flemish Glass  
FG4L1PF3068

## Glass Selections



FG4L1PF3068  
Flemish FlGlz




FG4L1PCBLE3068  
Clear Bevel Low E




FG4L1PRN3068  
Rain FlGlz

4 Lite 1 Panel

Glass Selections



FG4L1PF3080  
Flemish FlGz



FG4L1PCBLE3080  
Clear Bevel Low E



FG4L1PRN3080  
Rain FlGz

Shown in Slate with Low E Bevel Glass  
FG4L1PCBLE3080

# MAHOGANY GRAIN

*2-6/2-8/3-0 x 6-8 6 Lite TDL w/ 1 Panel Btm*

## 6 Lite 1 Panel



Shown in Slate with Low E Bevel Glass  
FG6L1PCBLE3068

## Glass Selections



FG6L1PRN3068  
Rain FlGz



FG6L1PF3068  
Flemish FlGz



FG6L1PCBLE2668  
FG6L1PCBLE2868  
FG6L1PCBLE3068  
Clear Bevel Low E

2-6/2-8/3-0x8-06 Lite TDL w/ 1 Panel Btm

6 Lite 1 Panel



Glass Selections



FG6L1PRN3080

Rain FlGz



FG6L1PF3080

Flemish FlGz



FG6L1PCBLE2680

FG6L1PCBLE2880

FG6L1PCBLE3080

Clear Bevel Low E

Shown in Fox with Low E Bevel Glass  
FG6L1PCBLE3080

\*TDI - Windstorm Tested  
(Non-Impact Resistant) - #DR1152

# MAHOGANY GRAIN

*3-0 x 6-8 6 Lite Craftsman w/ 2 Panel Btm*

## 6 Lite 2 Panel



## Glass Selections



FGCMRN3068

Rain FlGlz



FGCMF3068

Flemish FlGlz



FGCMCBLE3068

Clear Bevel Low E

Shown in Midnight with Low E Bevel Glass  
FGCMCBLE3068

6 Lite 2 Panel




Glass Selections



FGCMRN3080

Rain FlGlz



FGCMF3080

Flemish FlGlz



FGCMCBLE3080

Clear Bevel Low E

Shown in Slate with Low E Bevel Glass  
FGCMCBLE3080

# MAHOGANY GRAIN

*3-6 x 8-06 Lite TDL w/ 1 Panel Btm*

## 6 Lite 1 Panel



## Glass Selections



FG6L1PRN3680  
Rain FlGz



FG6L1PF3680  
Flemish FlGz




FG6L1PCBLE3680  
Clear Bevel Low E

Shown in Midnight with Rain Glass  
FG6L1PRN3680

3-0 x 6-8 3/4 Lite TDL w/ 1 Shaker Panel Btm

3/4 Lite 1 Panel

Glass Selections




FG34FL1P3068  
Flemish FlGlz



FG34RN1P3068  
Rain FlGlz



FG34SN1P3068  
Satin FlGlz



FG34LE1P3068  
Clear Low E FlGlz

Shown in Midnight with Flemish Glass  
FG34FL1PF3068



Saltillo Iron Grille\*

**\*Doors will accept same iron grilles as Mahogany and Knotty Alder collections**

# MAHOGANY GRAIN


*3-0 x 8-0 3/4 Lite TDL w/ 1 Shaker Panel Btm*

## 3/4 Lite 1 Panel



Shown in Slate with Rain Glass  
FG34RN1P3080

## Glass Selections



FG34FL1P3080  
Flemish FlGlz



FG34RN1P3080  
Rain FlGlz



FG34SN1P3080  
Satin FlGlz



FG34LE1P3080  
Clear Low E FlGlz




Saltillo Iron Grille\*

**\*Doors will accept same iron grilles as Mahogany and Knotty Alder collections**

*2-8/3-0x6-8 & 2-8/3-0x8-0 Full Lite Smooth Flush Glazed*

Full Lite






Shown with Clear Low-E  
FGFULLLE2868  
FGFULLLE3068

Full Lite



Shown with Clear Low-E  
FGFULLLE2880  
FGFULLLE3080

Line Drawings



# Warranty



## HOELSCHER

### WEATHERSTRIP MANUFACTURING CO., INC.

2400 S. Persimmon Street Tomball, Texas 77375

\*Phone 713-869-6466 \* Fax 713-869-6469 \* Door Fax 713-861-2909

## Fiberglass Entry Door Collection Warranty

Hoelscher Weatherstrip Mfg. Co., Inc. offers a limited warranty for (5) years on all fiberglass doors from the original date of installation of the door. This warranty assures that each such door, for this period, is of good material and workmanship, and free from defects rendering the door unserviceable or unfit for the ordinary, recommended use. This warranty shall be void if the door has not been stored, installed, and maintained in a good workable manner. If the door is installed unfinished, the warranty is void unless the door is sealed within a 72 (seventy-two hour) period. During this period, if the door is exposed to rain or any water infiltration, the warranty shall be void. Additionally, all 6 sides of the door (front, back, edges, top, and bottom) must be properly finished and maintained or the warranty is void.

### Conditions not Considered Defects Covered by the Hoelscher Weatherstrip Warranty

The following conditions are not considered defects which are covered under the Hoelscher warranty: warp (as defined and within the limits prescribed below); bow or misalignment of the frame of jamb in which the door is hung; variation or unsatisfactory results in the surface checking of the door; damage resulting from the causes beyond the control of Hoelscher (within the limits prescribed below); defects from failure to perform normal home owner maintenance or from attempts by non-Hoelscher workmen to repair the door; damage caused by the installation of a storm door; leakage in the speakeasy opening in doors with such a feature (with or without decorative iron grille); reducing the height of the door by removing more than one inch (1") from the bottom rail and/or one-half (1/2") inch from the top rail of the door; reducing the width of the door by removing more than one-half inch (1/2") from the stiles at either side. Warp, as mentioned above, is defined as any distortion in the door itself, and does not refer to the frame or the jamb in which it is hung. However, the term, "warp" shall not include the related terms of "bow", "cup", or "twist". To be considered warped for the purposes of warranty; the distortion would have to exceed 1/4" on a 6'8" tall door and exceed 1/2" on an 8'0" tall door. Doors wider than 36 inches or taller than 8 feet are not warranted against warp. If the claimed nonconformity is warp, Hoelscher may defer repairing or replacing the product for up to twelve (12) months from the date of the claim of the date when the products was installed, as it is not uncommon for temporary warp conditions to occur as the door adjusts to local humidity and temperature. The aforementioned damages caused by forced beyond Hoelscher's control include, but are not limited to, damage caused by misuse, abuse, accident, mishandling, fire, flood, earthquake, storm, tornado, or other acts of nature. In addition to the above, the Hoelscher warranty does not cover any damages including fading or finish, discoloration, rust or flaking resulting from exposure due to installation without sufficient roof overhang protection, which causes the door to be exposed to an unusual amount of sunlight and/or precipitation. Minimum roof overhang is one in which the roof overhang projects out a distance from the structure no less than one-half (1/2) of the elevation between the bottom of the door and the base of the overhang's highest point above the entryway.

### Prefinished Doors

Hoelscher Weatherstrip Mfg. Co. offers a twenty-four (24) month warranty on all our prefinished doors. The warranty period begins on the original date of purchase.

### Glass Panels

Hoelscher Weatherstrip Mfg. co. does not warrant any product against glass breakage or glass damage for any reason.

### "IG" Insulated Glass Panels

Your insulated glass panel is warranted for a period of five (5) years from the original date of installation. It is warranted against any material obstruction of vision through the unit due to accumulation of dust, moisture, or film on the internal surfaces caused by the failure of the unit's edge seal due to defects in material or workmanship under normal conditions. This warranty shall be void if; the unit is installed in high moisture environments (such as greenhouses or swimming pool enclosures) or film, shades, or any foreign materials, are used on or near the surface of the unit.

### Claim Procedures and Limit on Remedies

All warranty claims must be presented within the warranty period for the specific product as outline above. Hoelscher will not honor any warranty claims made prior to payment in full for the warranted product. Upon validation by Hoelscher of any warranty claim, Hoelscher will at its option: 1) Repair the product and return it FOB our Houston, Texas facility, freight collect: 2) furnish a comparable replacement product (or, if the product is no longer produced, a replacement which, in the sole opinion of Hoelscher, constitutes a comparable replacement) FOB our Houston, Texas facility, freight collect: 3) Refund the purchase price paid by the original purchaser of the product by Hoelscher. Hoelscher Weatherstrip Mfg. Co., Inc. reserves the right to inspect, in the field or on our premises, any product which is alleged to be defective, and must be given a thirty (3) day opportunity to have any door which is subject of a warranty claim field inspected by a company or field representative of Hoelscher.




Contemporary 4 lite  
Reeded



2 Panel V-grooved  
w/ Speak Easy



6 Lite TDL  
Flemish



2 Panel V-grooved



6 Lite TDL  
Rain

## Hoelscher Weatherstrip Manufacturing Co., Inc.

2400 S. Persimmon St., Tomball, TX 77375

Phone: 713-869-6466

Fax: 713-869-6469

Web: [www.hoelscherweatherstrip.com](http://www.hoelscherweatherstrip.com)